

American
KITCHENS
STYLED IN STEEL




**ENJOY THE MANY PLUS FEATURES OF THESE
ALL-NEW, REALLY MODERN KITCHENS**


See Your American Kitchens Dealer Immediately



Fit any size or shape



CORRIDOR TYPE—2 WALLS



U TYPE—3 WALLS

More for the money in quality and features!

Compare with any other ready-built, or built-to-order kitchen

Wall Cabinets

STANDARD DIMENSION: Depth 13 $\frac{1}{4}$ " front to back.

CONSTRUCTION: Panels formed from 22-gauge cold rolled steel, rustproofed by the latest improved process, and finished with two coats of baked-on finest enamel resistant to cracking and chipping. All joints are electric welded to assure permanent squareness and trueness of corners throughout entire cabinet. Hinge corners are reinforced with 11-gauge braces.

DOORS are 1" thick, double walled, drawn with round exterior corners, and with inner surfaces sound-deadened, vermin and moistureproofed. Patented, double-acting spring type hinges hold doors full open or full closed, and operate with finger-touch ease. Recessed door pulls are located in bottom edge of door, eliminating dirt-catching door handles.

SHELVES are readily removed for easy cleaning, and are especially constructed, leveled and reinforced to remain true and square permanently. Rigid, warp-proof construction assures lifetime service. Tested for 25 lbs. per sq. ft.

HARDWARE: Hinges and all interior fastenings cadmium-plated.

Base Cabinets

STANDARD DIMENSIONS: Height 36" (40" including back splash). Depth 25" front to back.

CONSTRUCTION: Panels 20- and 22-gauge cold rolled steel. Outside corners further reinforced with 11-gauge braces and die-formed gussets. Other details same as Wall Cabinets.

SANITARY JOINING: Special continuous-pressure aluminum flush molding makes possible water-tight, dirt-resistant seal between cabinets.

WORK SURFACE: Black high-quality linoleum bonded to 20 gauge, stretcher-leveled steel reinforced with 18-gauge members. Guaranteed against warping. Edged front and rear with self locking stainless steel trim. Back splash integral part of surface—one piece of linoleum. Work surface extends 2" beyond door front, base recedes 1" for total of 3" knee and toe space.

DRAWERS: 22-gauge drawn steel, non-sagging, seamless. All corners rounded. Slide silently on special nylon bearings. Close against rubber bumper. Front double walled. Recessed pulls.

DOORS, SHELVES AND HARDWARE: Same as Wall Cabinets except doors have clear plastic handles with stainless steel inserts.


DIMENSIONS

DESCRIPTION	HEIGHT	DEPTH	WIDTHS					
			15"	18"	21"	24"	30"	36"
18" high, 1-door Wall Cabinet.....	18"	13 $\frac{1}{4}$ "		LW 1818				
18" high, 2-door Wall Cabinets.....	18"	13 $\frac{1}{4}$ "			LW 2118		LW 3018	LW 3618
30" high, 1-door Wall Cabinets.....	30"	13 $\frac{1}{4}$ "	LW 1530	LW 1830				
30" high, 2-door Wall Cabinets.....	30"	13 $\frac{1}{4}$ "			LW 2130	LW 2430	LW 3030	
84" high, 4-door Utility Cabinet.....	84"	13 $\frac{1}{4}$ "			LU 2184 LX 100"			
30" high, 2-door, Corner Wall Cabinet.....	30"	13 $\frac{1}{4}$ "	LCW 2730—27" along each wall from corner.....					
1-door Base Cabinets.....	36"	25"	LB 15	LB 18				
2-door Base Cabinets.....	36"	25"			LB 21	LB 24	LB 30	


18" high WALL FILLERS. Widths and Model Numbers: 1"—LWF 1810... 2"—LWF 1820... 3"—LWF 1830.
 30" high WALL FILLERS. Widths and Model Numbers: 1"—LWF 3010... 2"—LWF 3020... 3"—LWF 3030.
 40" high BASE FILLERS. Widths and Model Numbers: 1"—LBF 10... 2"—LBF 20... 3"—LBF 30.
 40" high BASE CORNER FILLER. 27" along each wall from corner. Model Number LCF 2700.
 Height includes back splash.

*See note below illustration of LU 2184.


New or Remodeled Kitchens



L TYPE—2 WALLS




PANEL TYPE—STRAIGHT WALL



18" HIGH, 1-DOOR, WALL CABINET

LW 1818 Single door hinged left or right. One full-sized centered shelf. Outside dimensions—18" high, 18" wide, 13 1/4" deep, front to back.




18" HIGH, 2-DOOR, WALL CABINETS

LW 2118 Double doors. One full-sized centered shelf. Outside dimensions—18" high, 21" wide, 13 1/4" deep, front to back.
LW 3018 Same but 30" wide.
LW 3618 Same but 36" wide.




30" HIGH, 1-DOOR, WALL CABINETS

LW 1530 Single door hinged left or right. Two full-sized shelves. Outside dimensions—30" high, 15" wide, 13 1/4" deep, front to back.
LW 1830 Same but 18" wide.



30" HIGH, 2-DOOR, WALL CABINETS

LW 2130 Double doors. Two full-sized shelves. Outside dimensions—30" high, 21" wide, 13 1/4" deep, front to back.
LW 2430 Same but 24" wide.
LW 3030 Same but 30" wide.



30" HIGH, 2-DOOR, CORNER WALL CABINET

LCW 2730 "L" type. Two doors. Two full-sized shelves. Outside dimensions—30" high, 27" wide along each wall from corner, 13 1/4" deep at ends, front to back.




1-DOOR BASE CABINETS

LB 15 Single door hinged left or right. One drawer, and storage compartment with removable shelf. Height 36" (40" including back splash). Width 15". Depth front to back 25".
LB 18 Same but 18" wide.




2-DOOR BASE CABINETS

LB 21 Double doors. One drawer. One double-door storage compartment with removable shelf. Height 36" (40" including back splash). Width 21". Depth front to back 25".
LB 24 Same but 24" wide.
LB 30 Same but 30" wide.



WALL AND BASE FILLERS

Furnished in 3 widths, and to match heights and contours of cabinets, to assure unbroken installations in fitting any size or shape of kitchen. Base Corner Filler includes complete work surface including back splash along both walls. See *Widths and Model Numbers* listed at foot of page.



84" HIGH, 4-DOOR UTILITY CABINET

LU 2184 Holds brooms, sweepers, etc. Convertible to linen cabinet if desired. Two upper and two lower doors. Two shelves in upper section. Outside dimensions—84" high, 21" wide, 13 1/4" deep, front to back.
LX 100 Not illustrated. Package of three shelves to convert lower section for linen storage.

NEW




PERFECTED DISPOSER

Will not jam or clog. Patented "knee-action" pulverizer arms prevent jamming even if metal is dropped in.



KITCHEN VENTILATOR

Sealed motor mounts outdoors. Grill mounts flush to wall over range, regardless of range location.



WALL WHAT-NOT

Designed to finish off end of any run of 30" high wall cabinets. Removable glass shelves. Easily installed.



BASE WHAT-NOT

Neat shelf for radios, toasters, waffle irons, etc. Perfect for ends of island or peninsula installations.



BASE CORNER END PANEL

Indicated when range or refrigerator is placed next to LCF2700 corner base filler. Fits right or left installations.

■ ASSISTANCE TO HOME BUILDERS. American Kitchens are the latest in the market—priced in line... ideal to install. Sinks and cabinets fulfill the best in modern standards. Regardless of size or shape of room, American Kitchens can be fitted perfectly.

Your American Kitchens dealer is a factory-trained kitchen-planning expert. See him at once. He will gladly show you these all-new, all-modern kitchens and aid you in planning your new kitchen for maximum efficiency.

American KITCHENS CABINET SINKS STYLED IN STEEL

Designed and Constructed for Utmost Convenience ... Durability ... and Beauty

STANDARD DIMENSIONS: Height 36" (40" including back splash). Depth 25" front to back.

CONSTRUCTION: 14-gauge deep drawing enameling steel; drainboard and bowl cold drawn in one piece, finished with 3 coats high test enamel, fused at 1660 degrees on steel by latest improved process. Third coat is acid-resistant vitreous enamel, proof against discoloration or loss of luster even under 190 proof alcohol or metered sunlight, and processed to prevent cracking and chipping. Drainboards correctly pitched, and so ribbed that even a small glass will not tip. Swinging mixing faucet is on back splash, permitting a full bowl, extra wide from front to back. Push button controlled spray attachment with 36" rubber hose.


SINK CABINETS: Welded steel, double braced. Reinforcements: 12, 16 and 18 gauge. Panels: 20 and 22 gauge. Finish is a baked double coat of finest enamel on a surface rustproofed by the latest improved methods, and processed to resist cracking and chipping.

WORK TOP extends 2" beyond door fronts; base recedes another inch; allowing ample knee and toe space.

DOORS are 1" thick, double walled, with rounded exterior corners and with inner surfaces sound-deadened, vermin and moisture-proofed. Exclusive patented double-action spring type hinges insure finger-touch positive full opening and full closing. Rubber bumpers. Handles are clear plastic with stainless steel inserts. Wire rack for soap chips, etc., is mounted on inside of door.


DRAWERS are 22-gauge drawn steel, non-sagging, seamless, tested for 10 lbs. per sq. ft.—all corners rounded. Slide silently with minimum effort on special plastic glide blocks. No metal to metal contact insures lifetime service. Cannot leave runners, or pull fully out, unless lifted to remove. Close against rubber bumpers. Fronts of upper drawers are double walled. One divided linoleum-lined upper drawer for cutlery is standard equipment except in LST 4800. In one lower storage compartment 2 drawers are standard, with easily removed shelves in the others. To replace these shelves 2 to 6 drawers may be added, depending on type of sink. Shelves are tested to 25 lbs. per sq. ft. and rigid. A slide-out, removable cutting board (11 13/16" x 18") of warp-proof wood is also standard equipment.

PLUMBING FITTINGS: Brass, chromium-plated; hinges and all interior fastenings cadmium-plated steel.




Plan for
LS 4200


Plan for
LST 4800




Plan for
LS 5400




Plan for
LS 6600





LS 4200: Single bowl sink with single drainboard (left or right). Total width 42"; depth 25"; height 36" (including back splash 40"). Drainboard 20 1/4" x 19 3/8". Bowl 20" x 19 3/8" x 7". One upper drawer (cutlery). Two storage compartments—one with two drawers. Sliding cutting board.



LST 4800: Double bowl sink with movable drainboard. Total width 48"; depth 25"; height 36" (including back splash 40"). Regular bowl 8"; deep bowl 12". Each bowl 21 3/32" x 17 9/16". No upper drawer. Two storage compartments—one with two drawers. Sliding cutting board.



LS 5400: Single bowl sink with double drainboard. Total width 54"; depth 25"; height 36" (including back splash 40"). Drainboard 17" x 19 3/8". Bowl 20" x 19 3/8" x 7". Two upper drawers (including one for cutlery). Three storage compartments—one with two drawers—one with a shelf. Sliding cutting board.



LS 6600: Double bowl sink with double drainboard. Total width 66"; depth 25"; height 36" (including back splash 40"). Drainboards 17" x 19 3/8". Each bowl 15" x 19 3/8" x 7". Two upper drawers (including one for cutlery). Three storage compartments—one with two drawers—one with a shelf. Sliding cutting board.

AMERICAN CENTRAL
Division—
AVCO Manufacturing Corporation
CONNERSVILLE, INDIANA

American
KITCHENS

STYLED
IN STEEL